

This Safety Data Sheet conforms to EC Directive 91/155/EEC or as subsequently amended.

Delphi Diesel Systems Limited urges the recipient of this Safety Data Sheet to study it carefully, to become aware of the hazards, if any, of the products involved. In the interest of safety you should:-

- (1) Notify your employees, agents and contractors of the information on this sheet.
- (2) Furnish a copy to each of your customers for the product.
- (3) Request your customers to inform their employees and customers as well.

REFERENCE:	DOT 3
ISSUE DATE:	08/06/2015

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

PRODUCT NAME Delphi DOT 3

APPLICATION Brake & Clutch Fluid

FEATURES

COMPANY IDENTIFICATION

Delphi Diesel Systems Limited P.O. Box 1743 Spartan Close Warwick Warwickshire CV34 6AG

Telephone Number: +44 1926 47 0000Facsimile Number:+44 1926 47 2000E-mail Address:support.uk@delphi.comWeb Site:www.delphi.com

EMERGENCY TELEPHONE NUMBER

Telephone Number: +44 0203 8161 400



SECTION 2: Hazards identification

• 2.1 Classification of the substance or mixture • Classification according to Regulation (EC) No 1272/2008

GHS07

Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation.

· 2.2 Label elements

• *Labelling according to Regulation (EC) No 1272/2008* The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Signal word Warning
 Hazard statements
 H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 Precautionary statements
 P102 Keep out of reach of children.
 P301+P310 IF SWALLOWED: Immediately call a doctor.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P302+P352 IF ON SKIN: Wash with plenty of water.
 P501 Dispose of contents/container to an authorized waste collection point.

2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• **vPvB:** Not applicable.



SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description: Mixture based on:polyglycols, glycol ether, inhibitors, tri methylene glycol borate

• Dangerous components	s:	
CAS: 161907-77-3	ethanol, 2-butoxy-, manufacture of, by-products from	0-<30%
EC number: 310-287-7	Eye Dam. 1, H318	
CAS: 143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	0-<30%
EINECS: 205-592-6	♦ Eye Dam. 1, H318	
CAS: 112-25-4	2-hexyloxyethanol	0-<17%
EINECS: 203-951-1	♦ Skin Corr. 1B, H314; ♦ Acute Tox. 4, H302; Acute Tox. 4, H312	
CAS: 9004-77-7	Poly(oxy-1,2-ethanediyl), α-butyl-ω-hydroxy-	0-<30%
NLP: 500-012-0	♦ Eye Dam. 1, H318	
CAS: 111-46-6	2,2'-oxybisethanol	0-<5%
EINECS: 203-872-2	♦ STOT RE 2, H373; ♦ Acute Tox. 4, H302	
CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	0-<5%
EINECS: 203-961-6	♦ Eye Irrit. 2, H319	

CAS: 111-77-3	2-(2-methoxyethoxy)ethanol	0-<3%
EINECS: 203-906-6	🗞 Repr. 2, H361d	
CAS: 112-59-4	2-(2-hexyloxyethoxy)ethanol	0-<2%
EINECS: 203-988-3	 Eye Dam. 1, H318; 🚯 Acute Tox. 4, H312	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

General information:

Keep quiet and cover.

Seek medical treatment.

Personal protection for the First Aider.

Take affected persons out into the fresh air.

• After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

• After swallowing:

A person vomiting while laying on their back should be turned onto their side. Induce vomiting, if person is conscious. Seek medical help.

• 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.

• **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.



SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

• 6.4 Reference to other sections See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m³, 23 ppm

112-34-5 2-(2-butoxyethoxy)ethanol

WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm



111-77-3 2-(2-methoxyethoxy)ethanol

WEL Long-term value: 50.1 mg/m³, 10 ppm Sk

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

· Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

- 9.1 Information on basic physical and chemical properties
- General Information
- · Appearance:
- Form:

Colour:

· Odour:

Odour threshold:

Liquid Colourless to amber Characteristic N/A-very low odor



· pH-value at 20 °C:	7-10 (SAE J 1703)
· Change in condition	
Melting point/Melting range:	<-50 °C (SAE J 1703)
Boiling point/Boiling range:	205 °C (SAE J 1703)
· Flash point:	93 °C (IP 35)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	>300 °C (ASTM D 286)
Decomposition temperature:	>300 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
· Vapour density	Not determined.
• Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Soluble.
· Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.



	N 11: Toxicological information
11.1 Inform	aation on toxicological effects itv
	ulues relevant for classification:
	P Toxicity Estimates)
Oral LD	50 2959 mg/kg
Dermal LD	50 6013 mg/kg
161907-77-	3 ethanol, 2-butoxy-, manufacture of, by-products from
Oral LD	50 >2000 mg/kg (rat)
Dermal LD	50 >2000 mg/kg (rabbit)
143-22-6 2-	[2-(2-butoxyethoxy)ethoxy]ethanol
Oral LD	50 >2000 mg/kg (rat)
Dermal LD	50 >2000 mg/kg (rabbit)
112-25-4 2-	hexyloxyethanol
Oral LD	50 1484 mg/kg (rat)
Dermal LD	50 757 mg/kg (rabbit)
111-46-6 2,	2'-oxybisethanol
Oral LD	50 12565 mg/kg (rat)
Dermal LD	50 11890 mg/kg (rabbit)
112-34-5 2-	(2-butoxyethoxy)ethanol
Oral LD	50 5660 mg/kg (rat)
Dermal LD	50 4000 mg/kg (rabbit)
111-77-3 2-	(2-methoxyethoxy)ethanol
Oral LD	50 5500 mg/kg (rat)
Dermal LD	50 6540 mg/kg (rabbit)
	(2-hexyloxyethoxy)ethanol
Oral LD	50 4920 mg/kg (rat)
Dermal LD	50 1500 mg/kg (rabbit)
Primary irr	itant effect:

• Skin corrosion/irritation Irritant to skin and mucous membranes.

Serious eye damage/irritation Irritating effect.

• Respiratory or skin sensitisation No sensitising effects known.

Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

Classification was made by OECD tests, conventional (calculation) method of the CLP directive (1272/2008), the present state of knowledge, analogy with a product of similar composition.

SECTION 12: Ecological information

· 12.1 Toxicity

12.2 Persistence and degradability No further relevant information available.

• 12.3 Bioaccumulative potential No further relevant information available.

• 12.4 Mobility in soil No further relevant information available.

Additional ecological information:

Aquatic toxicity: No further relevant information available.



· General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

· 12.5 Results of PBT and vPvB assessment

• **PBT:** Not applicable.

• vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	on and a second s
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
• 14.3 Transport hazard class(es)	
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void
14.4 Packing group ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
14.6 Special precautions for user Danger code (Kemler): EMS Number:	Not applicable. - -
• 14.7 Transport in bulk according to Annex MARPOL 73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
· IMDG · Limited quantities (LQ) · Excepted quantities (EQ)	- Code: -
UN "Model Regulation":	UN-, -



SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

- H302 Harmful if swallowed.
- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H361d Suspected of damaging the unborn child.
- H373 May cause damage to organs through prolonged or repeated exposure.
- Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

- IMDG: International Maritime Code for Dangerous Goods
- IATA: International Air Transport Association
 - GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 2 Repr. 2: Reproductive toxicity, Hazard Category 2 STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2



This Safety Data Sheet conforms to EC Directive 91/155/EEC or as subsequently amended.

Delphi Diesel Systems Limited urges the recipient of this Safety Data Sheet to study it carefully, to become aware of the hazards, if any, of the products involved. In the interest of safety you should:-

- (1) Notify your employees, agents and contractors of the information on this sheet.
- (2) Furnish a copy to each of your customers for the product.
- (3) Request your customers to inform their employees and customers as well.

REFERENCE:	DOT 4 LV (ESP)
ISSUE DATE:	08/06/2015

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

PRODUCT NAME Delphi DOT 4 LV (ESP)

APPLICATION Brake & Clutch Fluid

FEATURES

COMPANY IDENTIFICATION

Delphi Diesel Systems Limited P.O. Box 1743 Spartan Close Warwick Warwickshire CV34 6AG

Telephone Number: +44 1926 47 0000Facsimile Number:+44 1926 47 2000E-mail Address:support.uk@delphi.comWeb Site:www.delphi.com

EMERGENCY TELEPHONE NUMBER

Telephone Number: +44 0203 8161 400



PRODUCT

SECTION 2: Hazards identification · 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07· Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF ON SKIN: Wash with plenty of water.

P302+P352 P501

· 2.3 Other hazards

- Results of PBT and vPvB assessment
- PBT: Not applicable.
- vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description: Mixture: consisting of the following components.

· Dangerous compone	ents:	
	2-[2-(2-butoxyethoxy)ethoxy]ethanol	<4%
EINECS: 205-592-6	Eye Dam. 1, H318	
	2-hexyloxyethanol	<3%
EINECS: 203-951-1	Skin Corr. 1B, H314; () Acute Tox. 4, H302; Acute Tox. 4, H312	
	2-(2-methoxyethoxy)ethanol	<2%
EINECS: 203-906-6		
	1,1'-iminodipropan-2-ol	<2%
EINECS: 203-820-9		

Dispose of contents/container to an authorized waste collection point.

• Additional information: For the wording of the listed risk phrases refer to section 16.



SECTION 4: First aid measures

- 4.1 Description of first aid measures
- \cdot General information: Take affected persons out into the fresh air.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: No special measures required.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.
- 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling No special precautions are necessary if used correctly. • Information about fire - and explosion protection: No special measures required.
- 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with	h limit value.	s that require monitoring at the workp	olace:

111-77-3 2-(2-methoxyethoxy)ethanol

WEL Long-term value: 50.1 mg/m³, 10 ppm Sk

• Additional information: The lists valid during the making were used as basis.



PRODUCT

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- Respiratory protection: Not required.
- Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties		
• 9.1 Information on basic physical a	nd chemical properties	
• General Information		
· Appearance:		
Form:	Liquid	
Colour:	Yellow	
· Odour:	Characteristic	
• Odour threshold:	Not determined.	
pH-value at 20 °C:	8.5	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	265 °C	
Flash point:	135 °C	
· Flammability (solid, gaseous):	Not applicable.	

· Ignition temperature:

· Danger of explosion:

Self-igniting:

Decomposition temperature:

Product is not selfigniting.

Product does not present an explosion hazard.

Not determined.



DPSS – Delphi Diesel Systems Ltd

SAFETY DATA SHEET

PRODUCT

• Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
· Vapour pressure:	Not determined.		
Density at 20 °C:	1.06 g/cm ³		
Relative density	Not determined.		
· Vapour density	Not determined.		
· Evaporation rate	Not determined.		
· Solubility in / Miscibility with			
water:	Soluble.		
Partition coefficient (n-octanol/	· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
· Solvent content:			
VOC (EC)	1.50 %		
9.2 Other information	No further relevant information available.		

SECTION 10: Stability and reactivity

10.1 Reactivity

- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- · 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

· Acute toxicity

LD/LC50 values relevant for classification:			
ATE (A	ATE (Acute Toxicity Estimates)		
Oral	LD50 15385 mg/kg		
Dermal	LD50 26506 mg/kg		
143-22-	6 2-[2-(2-butoxyethoxy)ethoxy]ethanol		
Oral	LD50 > 2000 mg/kg (rat)		
Dermal	LD50 > 2000 mg/kg (rabbit)		
112-25-4	4 2-hexyloxyethanol		
Oral	LD50 1484 mg/kg (rat)		
Dermal	LD50 757 mg/kg (rabbit)		
111-77-3 2-(2-methoxyethoxy)ethanol			
Oral	LD50 5500 mg/kg (rat)		
Dermal	LD50 6540 mg/kg (rabbit)		



- · Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- *vPvB*: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information · 14.1 UN-Number ADR, ADN, IMDG, IATA Void 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA Void • 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class Void · 14.4 Packing group · ADR, IMDG, IATA Void - 14.5 Environmental hazards: • Marine pollutant: No • 14.6 Special precautions for user Not applicable. • 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. · UN "Model Regulation": _



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

·National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Repr. 2: Reproductive toxicity, Hazard Category 2



This Safety Data Sheet conforms to EC Directive 91/155/EEC or as subsequently amended.

Delphi Diesel Systems Limited urges the recipient of this Safety Data Sheet to study it carefully, to become aware of the hazards, if any, of the products involved. In the interest of safety you should:-

- (1) Notify your employees, agents and contractors of the information on this sheet.
- (2) Furnish a copy to each of your customers for the product.
- (3) Request your customers to inform their employees and customers as well.

REFERENCE:	DOT 4
ISSUE DATE:	08/06/2015

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

PRODUCT NAME Delphi DOT 4

APPLICATION Brake & Clutch Fluid

FEATURES

COMPANY IDENTIFICATION

Delphi Diesel Systems Limited P.O. Box 1743 Spartan Close Warwick Warwickshire CV34 6AG

Telephone Number: +44 1926 47 0000Facsimile Number:+44 1926 47 2000E-mail Address:support.uk@delphi.comWeb Site:www.delphi.com

EMERGENCY TELEPHONE NUMBER

Telephone Number: +44 0203 8161 400



PRODUCT

SECTION 2: Hazards identification 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. - 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. · Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. · Precautionary statements P102 Keep out of reach of children. IF SWALLOWED: Immediately call a doctor. *P301+P310* P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/container to an authorized waste collection point. · 2.3 Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable.

• vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture based on:polyglycols, glycol ether, inhibitors, tri methylene glycol borate

· Dangerous component	s:	
CAS: 161907-77-3	ethanol, 2-butoxy-, manufacture of, by-products from	0-<30%
EC number: 310-287-7	🚸 Eye Dam. 1, H318	
CAS: 9004-77-7	<i>Poly(oxy-1,2-ethanediyl),</i> α-butyl-ω-hydroxy-	0-<30%
NLP: 500-012-0	📀 Eye Dam. 1, H318	
CAS: 143-22-6	2-[2-(2-butoxyethoxy)ethoxy]ethanol	0-<30%
EINECS: 205-592-6	 Eye Dam. 1, H318	
CAS: 112-25-4	2-hexyloxyethanol	0-<17%
EINECS: 203-951-1	🚸 Skin Corr. 1B, H314; 🚸 Acute Tox. 4, H302; Acute Tox. 4, H312	
CAS: 111-46-6	2,2'-oxybisethanol	0-<5%
EINECS: 203-872-2	🚸 STOT RE 2, H373; 🚸 Acute Tox. 4, H302	



PRODUCT

CAS: 112-34-5	2-(2-butoxyethoxy)ethanol	0-<5%
EINECS: 203-961-6	♦ Eye Irrit. 2, H319	
CAS: 111-77-3	2-(2-methoxyethoxy)ethanol	0-<3%
EINECS: 203-906-6	🗞 Repr. 2, H361d	
CAS: 112-59-4	2-(2-hexyloxyethoxy)ethanol	0-<2%
EINECS: 203-988-3	📀 Eye Dam. 1, H318; 🚯 Acute Tox. 4, H312	
	E and a sum diverse of the lister last a last a factor of a state of the section of the	

• Additional information: For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General information:
- Keep quiet and cover.

Seek medical treatment.

Personal protection for the First Aider.

Take affected persons out into the fresh air.

- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:
- Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
- After swallowing:

A person vomiting while laying on their back should be turned onto their side.

- Induce vomiting, if person is conscious. Seek medical help.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- · Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- 6.2 Environmental precautions: Do not allow to enter sewers/surface or ground water.

• 6.3 Methods and material for containment and cleaning up:

- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- *Ensure adequate ventilation.*
- 6.4 Reference to other sections
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment. See Section 13 for disposal information.



SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- *Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.*
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep container tightly sealed.
- · 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters

Ingredients with limit values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m³, 23 ppm

- 112-34-5 2-(2-butoxyethoxy)ethanol
- WEL Short-term value: 101.2 mg/m³, 15 ppm Long-term value: 67.5 mg/m³, 10 ppm

111-77-3 2-(2-methoxyethoxy)ethanol

WEL Long-term value: 50.1 mg/m³, 10 ppm Sk

· Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- Personal protective equipment:
- General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.
- · Respiratory protection:
- In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.
- · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/

the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

(Contd. of page 3)



· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION	v 9: F	hysic	al an	id ch	emica	l pr	opei	rties	
			-				-		

General Information	
Appearance:	
Form:	Liquid
Colour:	Colourless to amber
Odour:	Characteristic
Odour threshold:	N/A-very low odor
pH-value at 20 °C:	7-10 (SAE J 1703)
Change in condition	
Melting point/Melting range:	<-50 °C (SAE J 1703)
Boiling point/Boiling range:	>230 °C (SAE J 1703)
Flash point:	>100 °C (IP 35)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	>300 °C (ASTM D 286)
Decomposition temperature:	>300 °C
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
Vapour pressure:	Not determined.
Density at 20 °C:	1.05-1.09 g/cm ³ (51757)
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
water:	Soluble.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
9.2 Other information	No further relevant information available.



SECTION 10: Stability and reactivity

· 10.1 Reactivity

• 10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.

• 10.4 Conditions to avoid No further relevant information available.

- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

Acute toxicity

· LD/LC5	0 value	es relevant for classification:
ATE (A	cute To	oxicity Estimates)
Oral	LD50	2959 mg/kg
Dermal	LD50	6013 mg/kg
161907-	77 - 3 et	thanol, 2-butoxy-, manufacture of, by-products from
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
143-22-	6 2-[2-	(2-butoxyethoxy)ethoxy]ethanol
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
112-25-4	4 2-hex	<i>syloxyethanol</i>
Oral	LD50	1484 mg/kg (rat)
Dermal	LD50	757 mg/kg (rabbit)
111-46-	6 2,2'-0	oxybisethanol
Oral	LD50	12565 mg/kg (rat)
Dermal	LD50	11890 mg/kg (rabbit)
112-34-:	5 2-(2-1	butoxyethoxy)ethanol
Oral	LD50	5660 mg/kg (rat)
Dermal	LD50	4000 mg/kg (rabbit)
111-77	3 2-(2-1	methoxyethoxy)ethanol
Oral	LD50	5500 mg/kg (rat)
Dermal	LD50	6540 mg/kg (rabbit)
112-59-4	4 2-(2-	hexyloxyethoxy)ethanol
Oral	LD50	4920 mg/kg (rat)
Dermal	LD50	1500 mg/kg (rabbit)
D 1		et affaste

· Primary irritant effect:

Skin corrosion/irritation Irritant to skin and mucous membranes.

· Serious eye damage/irritation Irritating effect.

• Respiratory or skin sensitisation No sensitising effects known.

• Additional toxicological information:

The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version: Irritant

Classification was made by OECD tests, conventional (calculation) method of the CLP directive (1272/2008), the present state of knowledge, analogy with a product of similar composition.



SECTION 12: Ecological information

- 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- · 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

12.5 Results of PBT and vPvB assessment

- **PBT:** Not applicable.
- vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation
- Must not be disposed together with household garbage. Do not allow product to reach sewage system.
- · Uncleaned packaging:
- · Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information	tion	
14.1 UN-Number ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA · Class · Label · ADN/R Class:	Void - Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
 14.6 Special precautions for user Danger code (Kemler): EMS Number: 	Not applicable. - -	
14.7 Transport in bulk according to Anne MARPOL73/78 and the IBC Code	ex II of Not applicable.	
Transport/Additional information:		
IMDG Limited quantities (LQ) Excepted quantities (EQ)	- Code: -	
· UN "Model Regulation":	UN-, -	



SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.

H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute Tox. 4: Acute toxicity, Hazard Category 4


Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1

Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Repr. 2: Reproductive toxicity, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2



This Safety Data Sheet conforms to EC Directive 91/155/EEC or as subsequently amended.

Delphi Diesel Systems Limited urges the recipient of this Safety Data Sheet to study it carefully, to become aware of the hazards, if any, of the products involved. In the interest of safety you should:-

- (1) Notify your employees, agents and contractors of the information on this sheet.
- (2) Furnish a copy to each of your customers for the product.
- (3) Request your customers to inform their employees and customers as well.

REFERENCE:	DOT 5.1
ISSUE DATE:	08/06/2015

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND OF THE COMPANY / UNDERTAKING

IDENTIFICATION OF THE SUBSTANCE OR PREPARATION

PRODUCT NAME Delphi DOT 5.1

APPLICATION Brake & Clutch Fluid

FEATURES

COMPANY IDENTIFICATION

Delphi Diesel Systems Limited P.O. Box 1743 Spartan Close Warwick Warwickshire CV34 6AG

Telephone Number: +44 1926 47 0000Facsimile Number:+44 1926 47 2000E-mail Address:support.uk@delphi.comWeb Site:www.delphi.com

EMERGENCY TELEPHONE NUMBER

Telephone Number: +44 0203 8161 400



SAFETY DATA SHEET

PRODUCT

SECTION 2: Hazards identification - 2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008 GHS07 Skin Irrit. 2 H315 Causes skin irritation. Eye Irrit. 2 H319 Causes serious eye irritation. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS07 · Signal word Warning · Hazard statements H315 Causes skin irritation. H319 Causes serious eye irritation. Precautionary statements P102 Keep out of reach of children. P301+P310 IF SWALLOWED: Immediately call a doctor. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P302+P352 IF ON SKIN: Wash with plenty of water. P501 Dispose of contents/container to an authorized waste collection point. · 2.3 Other hazards · Results of PBT and vPvB assessment • **PBT:** Not applicable. • **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- 3.2 Chemical characterisation: Mixtures

• Description: A mixture of polyethylene glycol ether, a boric acid ester, additives and stabilisers.

· Dangerous compone	nts:	
CAS: 111-46-6	2,2'-oxybisethanol	<5%
EINECS: 203-872-2	🚸 STOT RE 2, H373; 🚸 Acute Tox. 4, H302	
	2,2'-(octylimino)bisethanol	<3%
EINECS: 239-555-0	🚸 Eye Dam. 1, H318; 🚸 Acute Tox. 4, H302; Skin Irrit. 2, H315	
CAS: 112-25-4	2-hexyloxyethanol	<2%
EINECS: 203-951-1	🚸 Skin Corr. 1B, H314; 🚸 Acute Tox. 4, H302; Acute Tox. 4, H312	
Additional information	an. For the wording of the listed risk phrases refer to section 16	

Additional information: For the wording of the listed risk phrases refer to section 16.



PRODUCT

SECTION 4: First aid measures

• 4.1 Description of first aid measures

• General information:

Seek medical treatment.

Keep quiet and cover.

Personal protection for the First Aider.

- Take affected persons out into the fresh air.
- After inhalation: In case of unconsciousness place patient stably in side position for transportation.
- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- After eye contact:
- Call a doctor immediately.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Induce vomiting and call for medical help.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Wear fully protective suit.
- Additional information Cool endangered receptacles with water spray.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures Wear protective clothing.

• 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.

- 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.

· 6.4 Reference to other sections

- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling
- Use only in well ventilated areas.
- Ensure good ventilation/exhaustion at the workplace.
- Prevent formation of aerosols.

· Information about fire - and explosion protection: No special measures required.

- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.



SAFETY DATA SHEET

PRODUCT

SECTION 8: Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

111-46-6 2,2'-oxybisethanol

WEL Long-term value: 101 mg/m³, 23 ppm

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

• Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection:



Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physi General Information	cal and chemical properties	
· Appearance:		
Form:	Liquid	
Colour:	Yellow	
• Odour:	Characteristic	
• Odour threshold:	Not determined.	
pH-value at 20 °C:	7-8 (SAE J 1703, SAE J 1704)	



SAFETY DATA SHEET

PRODUCT

 Change in condition Melting point/Melting range: Boiling point/Boiling range: 	Undetermined. > 260 °C (SAE J 1703, SAE J 1704)
· Flash point:	> 126 °C (DIN EN 22719/ISO 2719)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	
Decomposition temperature:	Not determined.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits: Lower: Upper:	Not determined. Not determined.
· Vapour pressure:	Not determined.
Density at 20 °C: Relative density Vapour density	1.06-1.07 g/cm³ (DIN 51757) Not determined. Not determined.
• Evaporation rate	Not determined.
Solubility in / Miscibility with water:	Soluble.
Partition coefficient (n-octanol/wate	e r): Not determined.
Viscosity: Dynamic: Kinematic at 40 °C: 9.2 Other information	Not determined. 11-14 mm2/s (DIN 51562) No further relevant information available.

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions Reacts with acids, alkalis and oxidising agents.
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

• Acute toxicity

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral LD50 7353 mg/kg

Dermal LD50 57895 mg/kg

111-46-6 2,2'-oxybisethanol

Oral LD50 12565 mg/kg (rat)

Dermal LD50 11890 mg/kg (rabbit)

15520-05-5 2,2'-(octylimino)bisethanol



SAFETY DATA SHEET

PRODUCT

Oral LD50 500 mg/kg (ATE)

112-25-4 2-hexyloxyethanol

Oral LD50 1484 mg/kg (rat)

Dermal LD50 757 mg/kg (rabbit)

- Primary irritant effect:
- · Skin corrosion/irritation Irritant to skin and mucous membranes.
- · Serious eye damage/irritation Irritating effect.
- · Respiratory or skin sensitisation No sensitising effects known.
- · Additional toxicological information:
- The product shows the following dangers according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

12.1 Toxicity

- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- General notes:
- Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

- 12.5 Results of PBT and vPvB assessment
- **PBT:** Not applicable.
- vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport inform	ation	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, IMDG, IATA		
Class	Void	
Label	-	
ADN/R Class:	Void	



SAFETY DATA SHEET

PRODUCT

14.4 Packing group ADR, IMDG, IATA	Void
 14.5 Environmental hazards: Marine pollutant: 	No
14.6 Special precautions for user Danger code (Kemler):	Not applicable. -
· EMS Number:	-
• 14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.	
· Transport/Additional information:	
IMDG Limited quantities (LQ) Excepted quantities (EQ)	- Code: -
UN "Model Regulation":	UN-, -

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

1. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation,

Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC

2. REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006 Local regulations.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H302 Harmful if swallowed.

- H312 Harmful in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H318 Causes serious eye damage.

H373 May cause damage to organs through prolonged or repeated exposure.

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association



SAFETY DATA SHEET

PRODUCT

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Acute Tox. 4: Acute toxicity, Hazard Category 4 Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

STOT RE 2: Specific target organ toxicity - Repeated exposure, Hazard Category 2